

Product InformationWhisper 7C & 12C Heating Fan

PRD0033E03en

Description

WHISPER is a family of heating fans specially adapted for vehicle heating systems. Typical design features of the WHISPER family:

- · very robust
- · casing of aluminium
- provided with T-slots both at the top and underneath to facilitate installation
- available in two different sizes with various combinations of operating voltage and connection dimensions

EMC approval

Both are EMC-approved according to 72/245/EG including revision 2005/83/EG.

Approval number: e5*72/245*2006/28*0216*00

Further information


• Installation Information PRD0035E02en



Figure Whisper 7C & 12C

Technical data

Pressure drop across heater cores



Outputs, air flows and power consumption

Outputs and air flows are measured on the following premises:

- max. fan speed
- $\Delta T 80 (Q80)$
- Water flow 20 l/min
- 14 and 28 V, respectively


Description	Air flow (m ³ /h)	Output kW Q80 (Q100 in brackets)	Power cons. (A)
Whisper 12C/24V	525	11,5 (14,4)	6,2
Whisper 12C/12V	435	10,5 (13,1)	11,7
Whisper 7C/24V	360	7,2 (9,0)	4,3
Whisper 7C/12V	310	6,3 (7,9)	8,3

$In stall at ion\ dimensions\ and\ weight$

Weights refer to heating fan without water.

Description	A (mm), see page 2	Weight (kg)
Whisper 7C	239	5,1
Whisper 12C	356	6,6

Drawing



Product range

Products

Description	Part nr with net			
Whisper 7C				
Whisper 7C 24V/Ø22	18813			
Whisper 7C 12V/Ø22	18683			
Whisper 12C				
Whisper 12C 24V/Ø28	18972			
Whisper 12C 12V/Ø28	18973			

For other connection diameters, hose adapters are available according to accessory list.

Accessories

